

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	39300	(bridge\$1 or inverter or half near4 inverter\$1 or (high and low) near4 switch\$3 or switches) and capacitor and inductor\$1 and (lamp\$1 or light\$1 or load\$1 or light near4 sources)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 16:37
L3	732	(bridge\$1 or inverter or half near4 inverter\$1 or (high and low) near4 switch\$3 or switches) and capacitor and inductor\$1 and (lamp\$1 or light\$1 or load\$1 or light near4 sources) and (positive and negative) near4 node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 16:34
L6	2868	((half or full) near4 bridge\$1 and node\$1 and (positive and negative))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 16:36
L8	1854	l6 and capacit\$3 and induct\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 19:57
L9	2609	l6 and (lamp\$1 or light\$1 or load\$1 or light near4 sources)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 16:37
L10	348	l8 and fix\$3 with frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 20:00
L11	121	l10 and ((first and second) near4 electrode or electrodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 20:01
L12	64	l11 and @pd<="20030723"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 20:17

EAST Search History

L13	14	l12 and (resonan\$2 or (inductor)) with fix\$3 near4 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:26
L14	188	l10 and @pd<="20030723"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 20:17
L15	72	lamp same((electrode\$1 or first and second) near4 electrode) and (resonan\$2 or (inductor)) with ((set\$3 or fix\$3) near4 frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:16
L16	67	lamp same((electrode\$1 or first and second) near4 electrode) and (resonan\$2 or (inductor)) and fix\$3 near4 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 20:46
L17	53	l16 and @pd<="20030723"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:09
L18	0	l17 and image near4 current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:12
L19	0	l1 and image near4 current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:06
L20	250	(light or light near4 source or LED or lamp or load) and fix\$3 near4 frequency and ((first and second) near4 electrode or electrodes) and image with current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:15

EAST Search History

L21	165	l20 and @pd<="20030723"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:13
L22	148	measur\$3 with image near4 current and lamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:26
L23	81	l22 and @pd<="20030723"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:54
L24	2569	(light or light near4 source or LED or lamp or load) and measur\$3 with image with current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:15
L25	3	lamp same((electrode\$1 or first and second) near4 electrode) and (resonan\$2 or (inductor)) and l24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:16
L26	387	measur\$3 with (zero near4 current or image near4 current) and lamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:26
L27	3	l26 and (resonan\$2 or (inductor)) with fix\$3 near4 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:53
L28	6	"6359387"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:47

EAST Search History

L29	4	l28 and gas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:47
L30	0	l29 and zero near4 current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:50
L31	13895	(lamp) with (electrodes or (first and second) near4 electrode) and lamp with gas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:51
L32	0	(lamp) with (electrodes or (first and second) near4 electrode) and lamp with gas with excit2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:52
L33	592	(lamp) with (electrodes or (first and second) near4 electrode) and lamp with gas with excit\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:53
L34	2	l33 and (resonan\$2 or (inductor)) with fix\$3 near4 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:53
L35	31	l33 and (resonan\$2 or (inductor)) and (sens\$3 or detect\$3) with current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:54
L36	14	l35 and @pd<="20030723"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/09/15 21:54